Country of Origin	Import Conditions
Finger Joint, Laminated	Require import permit and phytosanitary certificate, confirming that
Board from Australia,	consignment is free of Globodera rostochiensis & Bursaphelenchus
Brunei, China, Congo,	xylophilus.
Gabon, Germany,	Also confirms that.
Indonesia, Lithuania, New	1. Wood is fumigated using methyl bromide at the following rate
Zealand, Papua New	• 21°C and above 48g for 24 hours
Guinea, Slovenia, South	• 16-20°C 56 g for 24 hours
Africa, Suriname, USA)	• 11-15°C 64 g for 24 hours
(Red oak – USA)	OR
(Wood pallet – Australia,	2. Heat or Kiln Drying.
Brunei, Canada, China,	i. Less than 200mm: Dry bulb temperature at the chamber is
Congo, Germany,	maintained or above 74°C (165°F). Maximum thickness of
Indonesia, Peninsular	timber (mm) - Duration of treatment (hours)
Malaysia	• 0 to 25mm for 4 hours
	• 26 to 50mm for 6 hours
	• 51 to 75mm for 8 hours
	• 76 to 100mm for 10 hours
	• 101 to 150mm for 14 hours
	• 151 to 200mm for 18 hours
	ii. Greater than 200 mm: Once core temperature of 74°C (165°F)
	has been achieved, treatment duration must exceed 18 hours.
	Treatment time does not commence until the temperature and
	humidity in the chamber have stabilised and the core temperature
	of the timber has reached at least 74°C (165°F). All door frames
	must have the average moisture contain of less than 20%, based
	on oven-dry weight or mass.
	Sawn timber is subject to inspection upon arrival. If any pest or
	contamination is intercepted/detected during inspection, the consignment
	will be detained for treatment (fumigation) at the port of entry prior to

Country of Origin	Import Conditions
	release.
	The journey for the consignment must take at least 30 days by sea (from
	SALB country).