| seeds are obtained from recommended by DOA inspected at least ever found free from the fo Rice blast dise Padi angin Scab, head blig (Gibberella zea) White tip nema (Aphelenchoid) Ufra (Ditylence) disease virus leaf streak Panicle blight | |
|--|--|
| seeds are obtained from recommended by DOA inspected at least ever found free from the fo Rice blast dise Padi angin Scab, head blig (Gibberella zea) White tip nema (Aphelenchoid) Ufra (Ditylence) disease virus leaf streak Panicle blight | ses: |
| recommended by DOA inspected at least ever found free from the fo Rice blast dise Padi angin Scab, head blig (Gibberella zed White tip nema (Aphelenchoid Ufra (Ditylence) disease virus leaf streak Panicle blight | and phytosanitary certificate, confirming the |
| inspected at least ever found free from the fo Rice blast dise Padi angin Scab, head blig (Gibberella zec White tip nema (Aphelenchoid Ufra (Ditylenc disease virus leaf streak Panicle blight | designated area for paddy seeds production |
| found free from the fo Rice blast dise Padi angin Scab, head blig (Gibberella zed White tip nema (Aphelenchoid Ufra (Ditylence disease virus leaf streak Panicle blight | Malaysia or DOA Sabah. Area has been |
| Rice blast dise Padi angin Scab, head blig (Gibberella zet White tip nema (Aphelenchoid Ufra (Ditylenchoid disease virus leaf streak Panicle blight | month for the last 3 months and has been |
| Padi angin Scab, head blig | owing pests: |
| Scab, head blig (Gibberella zel White tip nema (Aphelenchoid) Ufra (Ditylenchoid) disease virus leaf streak Panicle blight | se (Pyricularia oryzae) |
| (Gibberella zed) White tip nemal (Aphelenchoid) Ufra (Ditylenchoid) disease virus leaf streak Panicle blight | |
| White tip nema (Aphelenchoid) Ufra (Ditylenchoid) disease virus leaf streak Panicle blight | it, node rot |
| (Aphelenchoid) Ufra (Ditylenchoid) disease virus leaf streak Panicle blight | ?) |
| Ufra (Ditylence) disease virus leaf streak Panicle blight | ode |
| disease virusleaf streakPanicle blight | besseyi) |
| leaf streakPanicle blight | ıs angustus) |
| Panicle blight | |
| | |
| Eumigation with math | Burkholderia glumae) |
| rumgation with meth | I bromide 100% at 48 g/m ³ for 6 hours. |
| Seeds are to be planted | at the exact location stated in the import |
| permit. | |



500 g of samples will be taken from the consignment for pests and diseases analysis.

The importer shall conduct regular field inspection on the occurrence of pest & disease. Upon detection of any pests and diseases the importer shall undertake immediate eradication measures to prevent the pests or diseases from spreading. The cost of carrying out eradication measures, if any, shall be borne by the importer.